



# A Bonanza of Frontiers



Publications with “massive star” in the title



“massive star” growth rate since 2002 ~ 7%

AAS Journals growth rate since 2002 ~ 3.5%

# ensembles of 1d stellar models

Fields et al 2017

Yoon et al 2017

Petermann et al 2017

Ertl et al 2016

Farmer et al 2016

Sukhbold et al 2016

Property	$15 M_{\odot}$	$20 M_{\odot}$
----------	----------------	----------------

$\dot{M} = 0$	$\dot{M} \neq 0$	$\dot{M} = 0$	$\dot{M}$
---------------	------------------	---------------	-----------


$He_{core} [M_{\odot}]^{a,b}$	$2.82^{2.82}_{2.79}$	$2.77^{2.78}_{2.72}$	$4.67^{4.70}_{4.59}$	4.
-------------------------------	----------------------	----------------------	----------------------	----


$C_{core} [M_{\odot}]$	$2.51^{2.58}_{2.49}$	$2.44^{2.53}_{2.43}$	$4.19^{4.75}_{4.04}$	4.
------------------------	----------------------	----------------------	----------------------	----

$O_{core} [M_{\odot}]$	$1.41^{1.43}_{1.35}$	$1.40^{1.42}_{1.32}$	$1.54^{2.47}_{1.43}$	1.
------------------------	----------------------	----------------------	----------------------	----

$Si_{core} [M_{\odot}]$	$1.15^{1.38}_{1.22}$	$1.15^{1.39}_{1.28}$	$1.38^{1.65}_{1.30}$	1.
-------------------------	----------------------	----------------------	----------------------	----

proton number







The step function with mass resolution is due to layered convection/semiconvection penetrating (or not) the H-burning core or H-burning shell. If it penetrates, fresh H fuel increases the He-core mass.


How do the properties of massive stars, evolved from the main-sequence, vary with respect to the composite experimental uncertainties in the reaction rates?


$$\sum \delta(\text{reaction rates}) = ?$$





STARLIB is the first (and only) tool offering a Monte Carlo / Bayesian reaction rate probability density due to experimental uncertainties.











some developing trends




# Pre-SN $\nu$ detection

Patton et al 2016


Yoshida et al 2016

Patton et al 2017

Misch & Fuller 2017




# 3D Element Factories



Cas A  
NuSTAR +  
Chandra



# isotopes project




Radioactivities:  
 $^{56}\text{Ni}$ ,  $^{57}\text{Ni}$ ,  $^{60}\text{Fe}$ ,  $^{55}\text{Fe}$   
 $^{56}\text{Co}$ ,  $^{57}\text{Co}$ ,  $^{60}\text{Co}$ ,  $^{44}\text{Ti}$   
 $^{26}\text{Al}$

Stable Isotopes:  
Fe, Si, O, C


Objects:  
Cas A, SN87A

A 21 isotope 15  $M_{\odot}$  MESA model at shell Si-burning was mapped into a 21 isotope 3D FLASH initial model.




Couch et al 2015

First 3D simulation of the final minutes of iron core growth, up to and including core-collapse.



The stronger turbulence from a non-spherical progenitor enhances the (diagnostic) explosion energy.



Nishimura (西村信哉) et al 2017

Jones et al 2017

Müller et al 2016



# isotopes project

proton number

30  
25  
20  
15  
10  
5  
0

0 10 20 30 40

neutron number

Zinc  
Copper  
Nickel  
Cobalt  
Iron  
Manganese  
Chromium  
Vanadium  
Titanium  
Scandium  
Calcium  
Potassium  
Argon  
Chlorine  
Sulfur  
Silicon  
Aluminum  
Magnesium  
Neon  
Oxygen  
Nitrogen  
Carbon  
Helium

- 204 isotopes - MESA Standard
- 21 isotopes - Couch et al. 2015
- × 126 isotopes - 3D Stellar Evolution

comments and discussion